

KEIM UNIVERSALPUTZE

THE TRIED AND TESTED ALL-ROUND RENDERS FOR ALL KINDS OF SUBSTRATES



Damaged render, difficult substrates etc.

Difficult substrate situations in renovation fields It is especially in renovation that we are not infrequently faced with substrate problems which cannot be solved or are not best solved with coatings alone. First of all, there are numerous different shortcomings in or even damage to the render. The most common types of damage include cracks, loss of pointing between masonry and flaking of the render.

However, many other "difficult" substrates are frequently encountered in practice. Uneven rendered surfaces, differences in texture due to partial repairs to the render, excessively coarse or excessively fine surface textures, chemically stripped surfaces, mixed substrates of all kinds, unattractive concrete surfaces or fair-faced masonry, uneven transitions to adjacent surfaces – the list could go on.

Universalputz KEIM and Universalputz-Fine, both thin layer renovating renders based on lime cement, are technically mature, durable and economic renovation solutions to all these problems. Simply applying one of these two all-round renders from KEIM, if necessary with embedded mesh, onto a sound existing substrate provides a perfect surface and an ideal base for subsequent coating. In addition, this is considerably simpler and more efficient than laborious partial repairs or costly replacement of the entire render

The result is a perfect substrate for subsequent coating which is ideally suitable even for pure silicate paints such as KEIM Purkristalat.

Note

A structural engineer must always be consulted where there is structurally significant cracking. The KEIM Porosan Sanierputz (renovation render) system is the ideal solution to salt and moisture damage.

KEIM Universalputze: for durable and economic solutions



KEIM Universalputz: »A render for all reasons«

Multipurpose use

KEIM Universalputz and KEIM Universalputz-Fine are the solution for just about every substrate problem.

Whether inside or out, whether renovating existing buildings, preserving historic monuments or constructing new buildings, whether covering mineral, organic or mixed substrates or concealing cracks, flaking or differences in texture, after a thorough clean and any other preparatory work that may be necessary, these two renovating thin layer renders, with their grain sizes of 1.3 mm or 0.6 mm, can be applied very simply and generally without primer to almost any sound substrate. If the substrate has been affected by algae, it should be pretreated with KEIM Algicid-Plus.

Simple and reliable to use

These all-rounders are as easy and reliable to apply as they are flexible: their outstanding machine processability with excellent stability and particularly smooth, thick consistency make KEIM

Universalputz and Universalputz-Fine particularly pleasant and quick to apply.

Fibre reinforcement and waterrepellency ensure reduced susceptibility to cracking and the best possible wear resistance, also in the area of the socle.

These renovation renders have a trick or two up their sleeves when it comes to appearance because they can be felt-floated or also differently textured. When felt-floated, Universalputz-Fine closely resembles lime render. The render's light colour is another plus.

Versatile finish



KEIMFARBEN GMBH
Keimstraße 16/86420 Diedorf/Tel. +49 (0)821 4802-0/Fax +49 (0)821 4802-210
Frederik-lpsen-Straße 6/15926 Luckau/Tel. +49 (0)35456 676-0/Fax +49 (0)35456 676-38
www.keim.com/info@keimfarben.de